

Serial No. 10/047,586

Atty Docket No. SUE-001-US

In The Claims:

Please amend the claims to read as follows:

1. (presently amended) A food utensil comprising:

an elongated hollow body for supporting an elongated food product, said elongated hollow body having an inner wall and an outer wall forming an interior, an open first end and a second end, a diameter, and a length greater than said diameter; and

a plurality of blades extending across said interior in a plane perpendicular to said inner and outer walls for cutting a food item, whereby said plurality of blades is the only plurality of blades of said food utensil, and each of said plurality of blades is substantially laterally aligned at an outermost portion thereof with a respective outermost portion of each of the remaining plurality of blades.

2. (presently amended) A food utensil comprising:

a hollow body having an inner wall and an outer wall forming an interior, an open first end and a second end, a cross-sectional area, and a length greater than said cross-sectional area; and

a plurality of blades extending across said interior in a plane perpendicular to said inner and outer walls for cutting a food item, whereby said plurality of blades is the only plurality of blades of said food utensil, and each of said plurality of blades is substantially laterally aligned at an outermost portion thereof with a respective outermost portion of each of the remaining plurality of blades.

3. (previously presented) The utensil of claim 1 further comprising a plurality of grooves each longitudinally extending from the first end to a corresponding

Serial No. 10/047,586

Atty Docket No. SUE-001-US

plurality of points approaching the second end and a blade rack slidably engaged with said outer wall for attachment of said plurality of blades wherein each of said plurality of blades correspondingly extends through one of said plurality of grooves.

4. (previously presented) The utensil of claim 1 further comprising a base fixed to the second end.
5. (original) The utensil of claim 2 wherein said plurality of blades comprises a plurality of wires wrapped about said blade rack.
6. (original) The utensil of claim 1 further comprising a food receptacle removably attached to said first open end for holding a food product.
7. (original) The utensil of claim 6 further comprising at least one hole extending through said food receptacle and at least one corresponding prong extending through said at least one hole for holding said food product.
8. (previously presented) The utensil of claim 2 wherein each of said plurality of grooves with respect to another equidistantly terminates between said first and second ends.
9. (original) The utensil of claim 1 wherein said plurality of blades is fixed to said inner wall.
10. (original) The utensil of claim 1 wherein said plurality of blades is fixed to said open first end.
11. (currently amended) A food utensil comprising:

an elongated hollow body for encasing an elongated food product, said elongated hollow body having an inner wall forming an interior and an outer wall, an open first end and a closed second end, a diameter, a length greater than said diameter, and, a plurality of

Serial No. 10/047,586

Atty Docket No. SUE-001-US

grooves each longitudinally extending from the first end to a corresponding plurality of points approaching the second end;

a plurality of blades extending across said interior, whereby said plurality of blades is the only plurality of blades of said food utensil, and each of said plurality of blades is substantially laterally aligned at an outermost portion thereof with a respective outermost portion of each of the remaining plurality of blades; and

a blade rack slidably engaged with said outer wall for attachment of said plurality of blades wherein each of said plurality of blades correspondingly extends through one of said plurality of grooves.

12. (previously presented) The utensil of claim 11 wherein each of said plurality of grooves with respect to another equidistantly terminates between said first and second ends.

13. (previously presented) An appliance comprising:

an elongated hollow body for supporting an elongated food product, said elongated hollow body having an inner wall and an outer wall forming an interior, a diameter, and a length greater than said diameter;

a plurality of blades fixed within said interior and extending across said interior; and

a receptacle for holding an item to be sliced, that upon appliance operation is slidably engaged along said outer wall thereby forcing said item against said blades for slicing thereof.

14. (previously presented) A method of slicing a food item comprising:

Serial No. 10/047,586

Atty Docket No. SUE-001-US

providing a fixed plurality of blades within an elongated hollow body and across a diameter thereof, the elongated hollow body having a length greater than the diameter;

inserting an elongated food item to be sliced in a receptacle, said elongated food item supported by said elongated hollow body; and

slidably engaging the receptacle along an outer circumference of the hollow body to bias the item against and at least partially through the blades thereby slicing the item.

15. (currently amended) A method of slicing a food item comprising:
- placing an elongated food item within an elongated hollow body of an appliance along a length of the hollow body, said elongated food item supported by said elongated hollow body, the elongated body having a length greater than a respective diameter;
- providing a plurality of blades within the hollow body and across the diameter thereof, whereby said plurality of blades is the only plurality of blades of said appliance, and each of said plurality of blades is substantially laterally aligned at an outermost portion thereof with a respective outermost portion of each of the remaining plurality of blades; and
- sliding the blades along the length of the hollow body thereby slicing at least a portion of the cylindrical food item.

16. (currently amended) A method of slicing an elongated food item comprising:
- providing a plurality of blades within an elongated hollow body and across a cross-section thereof, the elongated body having a length greater than the diameter, whereby said plurality of blades is the only plurality of blades of said elongated food body, and each of said plurality of blades is substantially laterally aligned at an outermost